



Calhoun: The NPS Institutional Archive
DSpace Repository

Theses and Dissertations

1. Thesis and Dissertation Collection, all items

1968-06

Spectral analyses of waves and associated bottom pressures off Point Sur, California

Steele, Boyden Tracy

Monterey, California. Naval Postgraduate School

<http://hdl.handle.net/10945/13082>

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>

NPS ARCHIVE
1968
STEELE, B.

SPECTRAL ANALYSES OF WAVES AND ASSOCIATED
BOTTOM PRESSURES OFF POINT SUR, CALIFORNIA


BOYDEN TRACY STEELE

SPECTRAL ANALYSES OF WAVES AND ASSOCIATED BOTTOM PRESSURES

OFF POINT SUR, CALIFORNIA

by

Boyden Tracy Steele
Lieutenant, United States Navy
B. S., Naval Academy, 1961



Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OCEANOGRAPHY

from the

NAVAL POSTGRADUATE SCHOOL
June 1968

1968

Steele, B

ABSTRACT

A time series of pressure variations was obtained by digitizing analogue records of bottom pressure, recorded at Pt. Sur, California, during the periods November, December, and January, 1947-1948, and June, July, and August, 1949. The power spectrum of the pressure variations was found via the amplitude spectra obtained by means of the fast Fourier transform. This spectrum was then smoothed by averaging over several frequency bands and confidence limits were assigned.

Surface wave power spectra were inferred from the pressure power spectra and significant wave heights were estimated from these, after applying a procedure designed to remove noise.

Values of significant height on the bottom and at the surface are displayed in tabular form and plotted versus time for the selected periods January, 1948, and August, 1949. The spectral patterns of wave activity show the transient nature of the energy due to storm swell and local winds.

TABLE OF CONTENTS

SECTION	PAGE
I. Objectives	11
II. Related Work	13
III. Data Used in This Study	14
IV. Spectral Analysis	15
V. Performing the Analysis	19
VI. Discussion of Results	23
VII. Conclusions	31
Bibliography	32
Appendices	
I. Tabular Display of Spectral Components for Selected Periods	33
II. Graphic Display of the Spectrum for Selected Periods	58
III. Summaries of H3B and H3S	79

LIST OF ILLUSTRATIONS

FIGURE		PAGE
1.	B_1 , Representing ΔE in Band Width $m \Delta f$	17
2.	Esterline Angus Co., Inc. Chart 4313	20
3.	Steplike Approximations to the Recorded Trace	19
4.	Geometric Relations for Conversion to $t, R\theta$ Co-ordinates	21
5.	Comparison of Height - Period and Spectral Values of H3S for January, 1948	22
6.	H3S and H3B vs. Time for January, 1948	26
7.	H3S and H3B vs. Time for August, 1949	27
8.	Frequency (CPS) vs. Time (Days) with Contours of Equal Power Density	28
9.	Frequency (CPS) vs. Time (Days) with Contours of Equal Power Density	29

TABLE OF SYMBOLS AND ABBREVIATIONS

Symbol	Definition	Unit
f_{\max}	the maximum frequency about which the analysis can gain information	sec. ⁻¹
t	time	sec.
Δt	sampling interval	sec.
Δf	$1/\Delta t$, elementary spectral band width	sec. ⁻¹
E	energy	ft. ²
A_k	pressure amplitude	ft.
M	number of observations	
HARM	IBM computer subprogram, a fast Fourier transform	
$\hat{A}(f_j) = \hat{A}_j$	complex spectral amplitude	ft.
$f_j = j \Delta f$	frequency of Fourier amplitude	sec. ⁻¹
$t_k = k \Delta t$	time of the pressure data point	sec.
B_j	Energy in band width Δf	ft. ²
m	arbitrary number of band widths	
B_1	average spectral amplitude in band width $m \Delta f$	ft. ²
f_1	approximate class frequency	sec. ⁻¹
l	$= m/2, \frac{3m}{2}, \frac{5m}{2}, \dots, M - \frac{m}{2}$	
$\bar{S}(f_1)$	average energy density in band width $m \Delta f$	ft. ² -sec.
Δx	incremental horizontal value of the digitizer	ft.
Δy	incremental vertical value of the digitizer	ft.
x_i	summation of the Δx for the i^{th} position in time	ft.

Symbol	Definition	Unit
y_i	summation of the Δy for the i^{th} position in time	ft.
R	radius of the ordinate on the wave record	ft.
R0	measure of arc length	ft.
H3B	significant height of pressure amplitudes measured at the recorder (in this case on the bottom)	
H3S	significant height of the surface waves	
PCT	Pacific Coast Time	date/ hours/ minutes
var	variance	ft. ²
N	degrees of freedom	

ACKNOWLEDGEMENTS

The author wishes to express appreciation for the advice and encouragement of Professor J. B. Wickham under whose direction this study was carried out.

In addition, the author is indebted to Lieutenant Commander G. M. Griswold, USN, and Lieutenant N. L. Perkins, USN, of the Fleet Numerical Weather Facility staff, for assistance in programming and for suggestions which were incorporated into this study.

Appreciation is also expressed to Captain P. M. Wolff, USN, Officer in Charge, Fleet Numerical Weather Facility, who made available the CDC 6500 computer used in part for this study.

I. Objectives

The randomness of the sea has puzzled investigators for centuries. Before forecasts of the behavior of the sea can be made, there must exist a more complete knowledge of the many-faceted energy relationships between the air and the sea. Most modern authorities feel that the true behavior of the sea can be best approximated by considering the behavior of each of its spectral components."

In addition, with the increasing use of major structures situated on the sea floor, it becomes more important to know about the possibility of pulsating water motions, with particular frequencies, and changes in the magnitude of the pulsations. The knowledge of bottom pressure activity is of extreme importance in mine warfare. In view of these and other needs, this paper has the following objectives:

- A. To display the spectral patterns of energy density of waves and associated bottom pressures versus time for the analogue wave records recorded at Pt. Sur, California, during the periods:

- 1. November, December, and January, 1947-48, (winter), and,
- 2. June, July, and August, 1949, (summer).

The spectra are to be obtained by digitizing the analogue data and performing a spectrum analysis on the resulting time series.

- B. To compare the results from the summer and winter periods;
- C. To provide background data for other studies, such as;
 - 1. Consideration of effects of shoaling and refraction in obtaining a deep water spectrum;
 - 2. Wave energy attenuation studies;
 - 3. Locating of sources of wave activity reaching the Pt. Sur area; and,

4. Examining the analysis for peculiarities such as favored frequencies that might indicate the influence of local topography.

II. Related Work

Munk, Snodgrass, and Miller (1) displayed contours of equal power density, $E(f,t)$ on a frequency time plot and used the spectral peaks' arrival times to estimate distances to the areas of wave generation. They confirmed the relationship by determining direction and distance in a separate analysis.

The use of a digitizer to convert the analogue data of the wave records is discussed by Moskowitz, Pierson, and Mehr (2). Their records were part of the data used in "the problem of developing numerical wave forecasting procedures for the North Atlantic Ocean", now functioning as a part of ASWEPS.

III. Data Used in This Study

The wave pressure records used for this study were recorded by a University of California Mark III bottom pressure recorder, anchored on the bottom in sixty-eight feet of water, measured from MLLW. A comprehensive discussion of bottom pressure recorders and the manner in which they act as a low pass filter was presented by Munk (3). The major advantage of choosing these somewhat dated records is that they provide a long and nearly continuous history from which patterns of wave activity may be shown. Johnson (4) has also published the results of another kind of analysis of these same records.

IV. Spectral Analysis

A time series of pressure variations is analyzed using the fast Fourier transform, a technique developed by Cooley and Tukey (5), incorporated in the IBM computer subroutine HARM to obtain the amplitude spectrum. The Fourier amplitudes are then used to find the power spectrum which is smoothed by averaging over several frequency bands. The entire procedure and several associated processes have been incorporated into a computer program written in FORTRAN IV.

A basic step in the analysis is selection of a suitable sample interval. For this study the primary interest was in wind waves; and, both theory and observation indicate that, due to filtering, very little activity at depths of sixty-eight feet is found in waves of frequencies greater than 0.25 sec.^{-1} . The appropriate sampling interval for this frequency is $\Delta t = 2 \text{ seconds}$, given by

$$f_{\max} = \frac{1}{2 \Delta t} \quad (1)$$

The fast Fourier transform requires 2^n (n a positive integer) discrete data points for each analysis. With a 2-second sampling interval, the largest n possible was 9 (512 data points) equivalent to 17 minutes and 4 seconds.

As a check on the spectral analysis, an independent calculation of the total energy was made directly from the pressure amplitudes, by

$$E = 2 \text{ var}(A_k) = 2/N \sum_{k=1}^N A_k^2 \quad (2)$$

where, A_k = pressure amplitude, and,

$M = 512$ is the number of observations of A_k .

The Fourier series analysis, HARM, produces a complex amplitude spectrum which represents the points of the time series by the sum of

the same number of discrete frequencies. The complex amplitudes are given by

$$\hat{A}(f_j) = \sum_{k=1}^{512} A(t_k) e^{-2\pi i f_j t_k}, \quad (3)$$

where, $\hat{}$ denotes Fourier transformation,

$f_j = j \Delta f$ is frequency, and,

$t_k = k \Delta t$ is the time of the pressure data points.

The energy in each band of width Δf is proportional to

$$B_j \equiv \Delta E_j = 2 \left| \hat{A}_j \right|^2, \quad (4)$$

where the factor of two enters because of the symmetry of \hat{A}_j about $j = 256$, and the total energy is proportional to

$$E = \sum_{j=1}^{512} \left| \hat{A}_j \right|^2 = \sum_{j=1}^{256} B_j. \quad (5)$$

Because the sea surface disturbance is a random variable, the spectral values $\hat{A}(f_j)$ are also random variables. Thus equation (3) holds only for averaging over many realizations. The energy is also a random variable and equations (4) and (5) are only estimates of the respective energies. The confidence limits for these estimates can be determined in the manner presented by Pierson and Marks (6) and discussed here below.

The energy in each elementary band width has been determined from only two independent bits of information, and the estimates are distributed according to the χ^2_i distribution with two degrees of freedom. By averaging a number, say m , of elementary bands of width Δf (see figure 1), one obtains an estimate of the energy which is more stable than the estimates of the contributing narrow bands.




Figure 1. B_1 , representing ΔE in band width $m \Delta f$. These estimates have a χ^2_1 distribution with $2m$ degrees of freedom. Confidence limits may be assigned utilizing this distribution of B_1 . Band averaging was done over 10 and 16 B_j . The total energy per band of width $m \Delta f$ was computed by

$$\Delta E(f_1) = \left[\frac{1}{m} \sum_{j=1-m/2+1}^{j=1+m/2} B_j \right] m = \sum B_j, \quad (6)$$

where, f_1 is considered the center frequency of the band, and,

m = number of bands.

The cumulative energy was obtained by summing over m bands,

$$E = \sum_{m/2}^{M-m/2} \Delta E(f_1) = \sum_{m/2}^{M-m/2} B_1. \quad (7)$$

The average energy density in the pressure variation in the band width $m \Delta f$ was defined as

$$\bar{S}(f_1) = \Delta E(f_1) / m \Delta f. \quad (8)$$

The average energy density at the surface was then determined by

$$\bar{S}_s(f_1) = \bar{S}(f_1) / K^2, \quad (9)$$

where K is the well known pressure response factor,

$$K = \frac{1}{\cosh 2 \pi d/L}, \quad (10)$$

where, d = depth of water (meter assumed on sea floor),

and,

L = wave length at the depth d .

V. Performing the Analysis

The wave records used in this project were analogue records of pressure variations recorded on Esterline Angus Co., Inc. chart 4313, shown in figure 2, which has curvilinear co-ordinates ($t, R\theta$). The records were digitized using the Calma Co. model 480 digitizer, which recorded incremental pairs, in the order, Δx and Δy (of the cartesian co-ordinates of the pressure curves), every .01 inch of stylus travel. This resulted in the wave form being approximated by a step - function, as shown in figure 3, with a secondary wave form including very high frequency energy being superimposed on the recorded wave form. This is a source of error and will be discussed further in section VI.




Figure 3. Steplike approximation to the recorded trace.

The digitizer recorded incremental values and it was therefore necessary to form the cartesian co-ordinates by summation within the computer. These cartesian co-ordinates were then converted to the approximately correct $t, R\theta$ co-ordinates by employing geometric relationships.

Computation of the correct value of t_i (the time axis) was critical to the conversion. On the time scale, 0.1 inch of record was equivalent to the sample interval of 2-seconds. The summation of Δx , x_i , representing the horizontal travel, was converted to the $t, R\theta$ co-ordinates

MADE IN U.S.A.

THE ESTERLINE-ANGUS CO., INC.




FIGURE 2. ESTERLINE ANGUS CO., INC. CHART 4313

by,

$$t_i = x_i + R - \sqrt{R^2 - y_i^2} \quad (11)$$


where, x_i is the time scale in equally spaced increments of Δt on the cartesian scale,

y_i is the ordinate on the cartesian scale,

t_i is the time in $t, R\theta$ co-ordinates, and,

R is the constant radius for arcs of constant t_i .

These are shown in figure 4.



$$\theta_i = \tan^{-1} y_i / \sqrt{R^2 - y_i^2} \quad (12)$$

Figure 4. Geometric relations for conversion to $t, R\theta$ co-ordinates

Because 2-second intervals read by the digitizer on the rectangular co-ordinates do not in general correspond to the same interval in curvilinear co-ordinates, the following scheme was used to approximate even time steps. The cartesian amplitudes used to form the time series were extracted from the record when the value of t_i exceeded or closely approximated a separately incremented test value which represented the true position in time; i.e.,

if $t \geq \text{test}$ or if $\text{test} - t \leq .001$, then

$$y_i = y_j$$

where, i is the position in the record, and,

j is the position in the time series.

The cartesian amplitudes were then converted to arc length measured in scale units; by

$$y = R\theta \quad (13)$$

The value of R used in these calculations was determined by graphical construction. By repeated measurement, with the digitizer, the radius was determined to be $4.36 \pm .02$ inches or approximately 490 scale units.

VI. Discussion of Results

One feature of the surface spectra was the characteristic "rapid increase in the high frequencies due to the presence of noise . . ." as described by Moskowitz, et. al. (2). As indicated in section V, the digitizing procedure superimposed a very high frequency waveform on the recorded trace, the energy being aliased eventually into the frequencies used in the analysis.

An effort was made to estimate the contribution of this to the total energy. The maximum reading error of the digitizer was .01 inch on the recording or .0167 feet in the pressure amplitude. Assuming that the errors have a uniform distribution (where each event is equally likely) between zero and 0.0167 and that the errors in amplitude are not correlated with the amplitudes themselves, the contribution of noise due to digitizing appears to be less than one per cent, usually much less. However, even a small amount of noise is critical at the higher frequencies, since the energy there is also very small. Moreover, there was considerable additional noise not associated with digitizing as spectral results of non-digitized data also displayed the rise in high frequencies.

In the absence of more precise information about the total noise contribution, it was assumed that most of the energy appearing in the spectra at frequencies greater than 0.18 sec.^{-1} was noise. Much of this was then arbitrarily removed in a manner analogous to that employed by Moskowitz et. al. (2), wherein it was assumed that after aliasing and smoothing over a number of spectral bands, the noise was white. The resultant determination of noise was subtracted from all spectral bands thus giving spectra with reasonable energy in the higher frequencies.

All values above 0.25 sec.^{-1} indicated on computer printouts are beyond the range of the sampling interval and are spurious.

The total energy computed by the sum of the Fourier amplitudes agreed well with that found from the variance of the pressure amplitudes. The results of band averaging over 16 and 10 elementary band widths were essentially the same (in part due to the smoothing to eliminate noise); however, the greater detail expected from averaging over fewer bands was not entirely lost as can be seen from the selected samples in Appendices I and II.

The corrected values of bottom pressure spectra and inferred surface spectra were used to calculate the respective significant heights. The significant heights at the surface, for the month of January, 1948, are compared with values obtained by Johnson (4) in figure 5. Figures 6 and 7 show values of significant height on the bottom and at the surface plotted versus time for the selected periods January, 1948, and August, 1949. A tabular display of significant heights for all periods of this investigation are presented in Appendix III.

An attempt was made to determine distance to the generating area of the swell by observing the time lags between spectral peaks of increasing frequency, as done by Munk et. al. (1). Figures 8 and 9 are contours of equal power density, drawn for the characteristic of the logarithm of the spectral component of energy density ($N = 32$) at the surface. The very steep slopes are indicative of a relatively close storm area. This would be expected for the winter months. The summer months show no significant patterns either, perhaps due to the smoothing. In Munk's investigation a much more sensitive pressure recorder was used (vibatron developed by F. E. Snodgrass). The great amount of correlated




FIGURE 5. COMPARISON OF HEIGHT-PERIOD AND SPECTRAL VALUES OF H3S FOR JANUARY, 1948.



FIGURE 6 H3S AND H3B VS. TIME FOR JANUARY, 1948




FIGURE 7. H3S AND H3B VS. TIME FOR AUGUST, 1949




FIGURE 8. FREQUENCY (CPS) VS. TIME (DAYS) WITH CONTOURS OF EQUAL POWER DENSITY. NUMBERS ON CONTOURS ARE CHARACTERISTICS OF $\ln_{10} \tilde{S}(f_x)$.

detail upon which Munk's hypothesis was based occurred between 0.40 and 0.80 sec.⁻¹ and therefore is beyond the range of this analysis. The ambiguity might be cleared up by more frequent analyses, say 12 or 6 hours apart vice 24.

VII. Conclusions and Recommendations

Intensity peaks in the summer and the winter occur about a week apart. The surface values of significant height in winter are about twice those of the summer period. The bottom ratios are much smaller. This difference is due to the different distribution of the energy with respect to frequency between winter and summer. There seems to be a preferred band of frequencies about 0.08 sec.^{-1} for the winter. No similar characteristic appears for the summer months.

Further investigations to determine distance to the generating area should be conducted with a more sensitive digitizing instrument located at a shallower depth with analyses more often than daily. These procedures would tend to eliminate the high frequency noise.

BIBLIOGRAPHY

1. _____. Ocean Wave Spectra. Englewood Cliffs, New Jersey,: Prentice - Hall, Inc., 1963, pp. 158 - 160.
2. Moskowitz, L., W. J. Pierson, Jr., and E. Mehr. Wave Spectra Estimated from Wave Records Obtained by the OWS WEATHER EXPLORER and the OWS WEATHER REPORTER (I) and (II). New York University Technical Report under Contr. N61206 - 1042, School of Engineering and Science, Research Division, 1962, 1963, 1965.
3. Munk, W. H. Ocean Waves as a Meteorological Tool, Compendium of Meteorology, 1952, pp. 1090 - 1100.
4. Johnson, J. W. Wave Records of the Pacific Coast. Institute of Engineering Research, University of California, Series 14, Issue 4, September, 1950.
5. Cooley, J. W., and J. W. Tukey. An Algorithm for the Machine Calculation of Complex Fourier Series, Mathematics of Computations, Vol. 19, p. 297, April, 1965.
6. Pierson, J. W., Jr., and W. Marks. The Power Spectrum Analysis of Ocean-Wave Records. Transactions, American Geophysical Union, vol. 33, No. 6, December, 1952.
7. Tukey, J. W., and R. W. Hamming. Measuring Noise Color 1. Murray Hill, New Jersey: Bell Telephone Laboratories, 1949.
8. Jenkins, G. M. General Considerations in the Analysis of Spectra. Technometrics, Vol. 3, No. 2, pp. 133 - 166, 1961.
9. Weigel, R. L. Oceanographic Engineering. Englewood Cliffs, New Jersey: Prentice Hall, 1964.
10. Kinsman, B. Wind Waves. Englewood Cliffs, New Jersey: Prentice Hall, 1965.
11. Blackman, R. B., and J. W. Tukey. The Measurement of Power Spectra. New York: Dover Publications, 1958.

APPENDIX I

TABULAR DISPLAY OF SPECTRAL COMPONENTS FOR SELECTED INTERVALS

BAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSO)	CUM VALUE (FTSO)	ENERGY DENSITY (FTSO-SEC)	SURFACE VALUE (FTSO-SEC)	PERIOD (SEC)
1	0.0078125		0.0027042	0.0027042	0.1730710	0.1739395	128.0000000
2	0.0234375		0.0010795	0.0037837	0.0690870	0.0723632	42.6666565
3	0.0390625		0.0010036	0.0047874	0.0642328	0.0731763	25.5999908
4	0.0546875		0.0004804	0.0052678	0.0307472	0.0398857	18.2857056
5	0.0703125		0.0002800	0.0055478	0.0179212	0.0279041	14.2222214
6	0.0859375		0.0009508	0.0065076	0.0326303	0.0647116	11.6363630
7	0.1015625		0.0001932	0.0066908	0.0123629	0.0335540	9.8461533
8	0.1171875		0.0005236	0.0072144	0.0335117	0.1356701	8.5333328
9	0.1328125		0.0004927	0.0077071	0.0315335	0.2000326	7.5294113
10	0.1484375		0.0006166	0.0083237	0.0394647	0.4811303	6.7368412
11	0.1640625		0.0008531	0.0091768	0.0546012	1.3705072	6.0952377
12	0.1796875		0.0004138	0.0095906	0.0264804	1.5620775	5.5652170
13	0.1953125		0.0002130	0.0098036	0.0136298	2.0550032	5.1199999
14	0.2109375		0.0000496	0.0098532	0.0031722	1.3508282	4.7407398
15	0.2265625		0.0000438	0.0098970	0.0028045	3.9547377	4.4137926
16	0.2421875		0.0000009	0.0099009	0.0000569	0.2620634	4.1290321
17	0.2578125		0.0	0.0099009	0.0	0.0	3.8787870
18	0.2734375		0.0000167	0.0099176	0.0010701	76.5008545	3.6571426
19	0.2890625		0.0000184	0.0099360	0.0011771	222.5232391	3.4594593
20	0.3046875		0.0001720	0.0099651	0.0110110	6515.3945312	3.2820511

BAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0048828		0.00019914	0.00019914	0.0051142	0.2043265	204.7999878
2	0.0146494		0.0008252	0.0028166	0.0044985	0.0860229	68.2666626
3	0.0244141		0.0007889	0.0036055	0.0007833	0.0849268	40.9599915
4	0.0341797		0.0009345	0.0045400	0.0056932	0.1056528	29.2571411
5	0.0439453		0.0002474	0.0047874	0.0253325	0.0298972	22.7555542
6	0.0537139		0.0003268	0.0051142	0.034668	0.0430110	18.6181793
7	0.0634765		0.0002634	0.0053776	0.0269731	0.0385109	15.7538452
8	0.0732422		0.0001702	0.0055478	0.0174295	0.0282627	13.6533327
9	0.0830078		0.0003563	0.0059041	0.0364876	0.0688277	12.0470581
10	0.0927734		0.0002054	0.0061095	0.0210312	0.0474434	10.7789469
11	0.1025391		0.0000418	0.0061513	0.0042826	0.0118961	9.7523804
12	0.1123047		0.0002544	0.0064057	0.0260476	0.0921372	8.9043474
13	0.1220703		0.0003687	0.0067744	0.0377585	0.1763684	8.1919954
14	0.1318359		0.0002792	0.0070536	0.0285926	0.1836284	7.5851851
15	0.1416015		0.0006674	0.0077211	0.0683464	0.6291310	7.0620689
16	0.1513672		0.0001627	0.0078833	0.0166581	0.2308950	6.6064510
17	0.1611329		0.0004511	0.0083348	0.0461877	1.0029202	6.2060604
18	0.1708984		0.0005625	0.0088973	0.0576009	2.0678377	5.8514280
19	0.1806641		0.0002533	0.0091507	0.0259420	1.6340408	5.5351343
20	0.1904297		0.0000456	0.0091963	0.0046737	0.5173165	5.2512817
21	0.2001953		0.0001788	0.0093751	0.0183042	3.8952637	4.9951210
22	0.2099609		0.0000375	0.0094125	0.0038375	1.5331707	4.7627907
23	0.2197266		0.0000428	0.0094553	0.0043806	3.4897537	4.5511103
24	0.2294922		0.0000017	0.0094570	0.0001743	0.2926033	4.3574467
25	0.2392578		0.0000009	0.0094579	0.0000910	0.3357935	4.1795912
26	0.2490234		0.0	0.0094579	0.0	0.0	4.0156860
27	0.2587891		0.0	0.0094579	0.0	0.0	3.8641500
28	0.2685547		0.0	0.0094579	0.0	0.0	3.7236357
29	0.2783203		0.0000167	0.0094746	0.0017121	148.1056519	3.5929823
30	0.2880859		0.0000184	0.0094930	0.0018834	372.0368652	3.4711857
31	0.2978516		0.0000893	0.0095823	0.0091460	3806.8884277	3.3573761
32	0.3076172		0.0000827	0.0096650	0.0084716	6084.1401562	3.2507935

PI. SUR 1423 TO 1445 3 JAN., 1948

BAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125		0.5193050	0.5193050	33.2355194	33.4023132	128.0000000
2	0.0234375		0.1240414	0.6433464	7.9386482	8.3151197	42.6666565
3	0.0390625		0.0619786	0.7053249	3.9666281	4.5189228	25.5999908
4	0.0546875		0.1562447	0.8615696	9.9996605	12.0716797	18.2857056
5	0.0703125		0.0715650	0.9331346	4.5801620	7.1315203	14.2222214
6	0.0859375		0.0602976	0.9934322	3.8590488	7.6531677	11.6363630
7	0.1015625		0.0233451	1.0167773	1.4940863	4.0550690	9.8461533
8	0.1171875		0.0270736	1.0438499	1.7327099	7.0147638	8.5333328
9	0.1328125		0.0745794	1.1184292	4.7730827	31.6402893	7.5294113
10	0.1484375		0.0655329	1.1840613	4.2581062	51.9123230	6.7368412
11	0.1640625		0.0232435	1.2142048	1.8715839	46.9773102	6.0952377
12	0.1796875		0.0340050	1.2482099	2.1763210	128.3810577	5.5652170
13	0.1953125		0.0125083	1.2607164	0.8005202	120.6984406	5.1199999
14	0.2109375		0.0130768	1.2737923	0.8369131	356.3801270	4.7407398
15	0.2265625		0.0025082	1.2763004	0.1605227	226.3570862	4.4137926
16	0.2421875		0.0002190	1.2765198	0.0140172	64.6036224	4.1290321
17	0.2578125		0.0005403	1.2770585	0.0345794	569.8264160	3.8787970
18	0.2734375		0.000859	1.2771444	0.0054996	393.1760254	3.6571426
19	0.2890625		0.0030214	1.2851658	0.5133722	97045.7500000	3.4594593
20	0.3046875		0.0039650	1.2891312	0.2539180	150189.1250000	3.2820511

PT. SUR 1429 TO 1446 3 JAN., 1948

BAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0048828		0.4002728	0.4002728	40.9879303	41.0700226	204.7999878
2	0.0146484		0.1389446	0.5392174	14.2279234	14.4846020	68.2666626
3	0.0244141		0.0849418	0.6241592	8.6880400	9.1441832	40.9599915
4	0.0341797		0.0484731	0.6726323	4.9636488	5.4802561	29.2571411
5	0.0439453		0.0393525	0.7119848	4.0296093	4.7558155	22.7555542
6	0.0537109		0.1025807	0.8145655	10.5042601	13.4098770	18.6181793
7	0.0634766		0.0532923	0.8678579	5.4571362	7.7914381	15.7538452
8	0.0732422		0.0652771	0.9331350	6.6843748	10.8390093	13.6533327
9	0.0830078		0.0434038	0.9825387	5.0589457	9.5428467	12.0470581
10	0.0927734		0.0191688	1.0017071	1.9628887	4.4280043	10.7789469
11	0.1025391		0.0194405	1.0211463	1.0691051	2.9697361	9.7523804
12	0.1123047		0.0310095	1.0431557	3.1753702	11.2321014	8.9043474
13	0.1220703		0.0009750	1.0441303	0.0998361	0.4663246	8.1910994
14	0.1318359		0.0570628	1.1011925	5.8432274	37.5265350	7.5851851
15	0.1416016		0.0416278	1.1428194	4.2626905	39.2382202	7.0620689
16	0.1513672		0.0421406	1.1849594	4.3151989	59.8120575	6.6064510
17	0.1611328		0.0185726	1.2035313	1.9018364	41.2965393	6.2060604
18	0.1708984		0.0355673	1.2390985	3.6420927	130.7489777	5.8514280
19	0.1806641		0.0091086	1.2482071	0.9327213	58.7503967	5.5351343
20	0.1904297		0.0085534	1.2567596	0.8758678	96.9469910	5.2512917
21	0.2001953		0.0039549	1.2607136	0.4049785	86.1820831	4.9951210
22	0.2099609		0.0083158	1.2690287	0.8515422	340.2084961	4.7627907
23	0.2197266		0.0049126	1.2739410	0.5030513	400.7465820	4.5511103
24	0.2294922		0.0023565	1.2762966	0.2413033	404.9743652	4.3574467
25	0.2392578		0.0	1.2762966	0.0	0.0	4.1795912
26	0.2490234		0.0007593	1.2770557	0.0777546	653.2458496	4.0156860
27	0.2587891		0.0	1.2770557	0.0	0.0	3.8641500
28	0.2685547		0.0000859	1.2771415	0.0087993	444.3549805	3.7236357
29	0.2783203		0.0014848	1.2786255	0.1520440	13152.5937500	3.5929823
30	0.2880859		0.0065366	1.2851620	0.6593516	132217.5625000	3.4711857
31	0.2978516		0.0001633	1.2853251	0.0167258	6961.8476562	3.3573761
32	0.3076172		0.0038026	1.2891273	0.3893831	279648.8125000	3.2507935

PT. SUR 1043 TO 1101 14 JAN., 1948

BAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE	(FTSQ-SEC)	PERIOD (SEC)
1	0.0078125		0.0010234	0.0010234	0.0654995	0.06549282		128.0000000
2	0.0234375		0.0003676	0.0013910	0.0235270	0.0246428		42.6666565
3	0.0390625		0.0002848	0.0016759	0.0182296	0.0207679		25.5989908
4	0.0546875		0.00043043	0.0059802	0.02754784	0.03573538		18.2857056
5	0.0703125		0.0014910	0.0374712	0.0154247	0.1381073		14.2222214
6	0.0859375		0.0020647	0.0395359	0.1321413	0.2620592		11.6363630
7	0.1015625		0.0023534	0.0418893	0.1506179	0.4087890		9.8461533
8	0.1171875		0.0008524	0.0427417	0.0545522	0.2208511		8.5333328
9	0.1328125		0.0003582	0.0430999	0.0229238	0.1519592		7.5294113
10	0.1484375		0.0001293	0.0432292	0.0082737	0.1008678		6.7368412
11	0.1640625		0.0000720	0.0433011	0.0046057	0.1156043		6.0952377
12	0.1796875		0.0000181	0.0433192	0.0011563	0.0682076		5.5652170
13	0.1953125		0.0000042	0.0433234	0.0002670	0.0402521		5.1199999
14	0.2109375		0.0	0.0433234	0.0	0.0		4.7407398
15	0.2265625		0.0000095	0.0433329	0.0006082	0.8576959		4.4137926
16	0.2421875		0.0000006	0.0433335	0.0000400	0.1844185		4.1290321
17	0.2578125		0.0000083	0.0433418	0.0005295	8.7251759		3.8787870
18	0.2734375		0.0	0.0433418	0.0	0.0		3.6571426
19	0.2890625		0.0	0.0433419	0.0	0.0		3.4594593
20	0.3046875		0.0000000	0.0433419	0.0000002	0.1394113		3.2820511

PT. SUR 1043 TO 1101 14 JAN., 1948

HAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SFC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0048828		0.0007509	0.0007509	0.0768925	0.0770465	204.7999878
2	0.0146434		0.0004036	0.0011546	0.0413335	0.0420792	68.2666626
3	0.0244141		0.0001773	0.0013319	0.0181580	0.0190893	40.9599915
4	0.0341797		0.0000980	0.0014299	0.0100326	0.0110767	20.2571411
5	0.0439453		0.0002909	0.0017209	0.0297903	0.0351582	22.7555542
6	0.0537109		0.0023993	0.0041200	0.2456845	0.3157490	18.6181793
7	0.0634765		0.0164785	0.0205985	1.6873960	2.4091835	15.7538452
8	0.0732422		0.0168727	0.0374712	1.7277660	2.8016481	13.6533327
9	0.0830078		0.0017173	0.0391885	0.1758525	0.3317160	12.0470581
10	0.0927734		0.0010026	0.0401911	0.1026653	0.2315987	10.7789460
11	0.1025331		0.0014360	0.0416271	0.1470473	0.4084647	9.7523804
12	0.1123047		0.0007408	0.0423679	0.0758530	0.2683117	8.9043474
13	0.1220703		0.0003738	0.0427417	0.0382803	0.1788037	8.1919994
14	0.1318359		0.0003014	0.0430431	0.0308645	0.1982190	7.5851851
15	0.1416016		0.0000991	0.0431423	0.0101509	0.0934398	7.0620689
16	0.1513672		0.0000869	0.0432292	0.0089004	0.1233671	6.6064510
17	0.1611328		0.0000720	0.0433011	0.0073691	0.1600131	6.2060604
18	0.1708984		0.0000000	0.0433011	0.0000000	0.0000000	5.8514280
19	0.1806641		0.0000181	0.0433192	0.0018500	0.1165289	5.5351343
20	0.1904297		0.0000005	0.0433196	0.0000468	0.0051805	5.2512817
21	0.2001953		0.0000037	0.0433234	0.0003804	0.0809410	4.9951210
22	0.2099609		0.0000000	0.0433234	0.0000000	0.0000000	4.7627907
23	0.2197266		0.0000000	0.0433234	0.0000000	0.0000000	4.5511103
24	0.2294922		0.0000095	0.0433329	0.0009732	1.6332769	4.3574467
25	0.2392578		0.0000000	0.0433329	0.0000000	0.0000000	4.1795912
26	0.2490234		0.0000089	0.0433418	0.0009112	7.6552439	4.0156960
27	0.2587891		0.0000000	0.0433418	0.0000000	0.0000000	3.8641500
28	0.2685547		0.0000000	0.0433418	0.0000000	0.0000000	3.7236357
29	0.2783203		0.0000000	0.0433418	0.0000000	0.0000000	3.5929823
30	0.2880859		0.0000000	0.0433419	0.0000000	0.0000000	3.4711857
31	0.2978516		0.0000000	0.0433419	0.0000004	0.1569067	3.3573761
32	0.3076172		0.0000000	0.0433419	0.0000000	0.0000000	3.2507935

PT. SUP 0510 TO 0524 24 JAN., 1942

BAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125		0.1047357	0.1047357	6.7030860	6.7367277	128.0000000
2	0.0234375		0.0272029	0.1319386	1.7409878	1.82335493	42.6666565
3	0.0390625		0.0084577	0.1403963	0.5412920	0.6166500	25.5999908
4	0.0546875		0.0038836	0.1502799	0.6325526	0.8205549	18.2857054
5	0.0703125		0.0253215	0.1766014	1.6845751	2.6229601	14.2222214
6	0.0859375		0.0119161	0.1885175	0.7624328	1.5124340	11.6363630
7	0.1015625		0.0026555	0.1911729	0.1699489	0.4612548	9.8461533
8	0.1171875		0.0024876	0.1936605	0.1592081	0.6445435	8.5333328
9	0.1328125		0.0143658	0.2080262	0.9194102	6.0946780	7.5294113
10	0.1484375		0.0330536	0.2410798	2.1154299	25.7900696	6.7368412
11	0.1640625		0.0101955	0.2512753	0.6525130	16.3782654	6.0952377
12	0.1796875		0.0068258	0.2581010	0.4368482	25.7696381	5.5652170
13	0.1953125		0.0064828	0.2645838	0.4148970	62.5553741	5.1199999
14	0.2109375		0.0017704	0.2663541	0.1133025	48.2472382	4.7407399
15	0.2265625		0.0018109	0.2681649	0.1158972	163.4296112	4.4137926
16	0.2421875		0.0001583	0.2683232	0.0101290	46.6834564	4.1290321
17	0.2578125		0.0	0.2683232	0.0	0.0	3.8787870
18	0.2734375		0.0010967	0.2694198	0.0701864	5017.7539062	3.6571426
19	0.2890625		0.0011226	0.2705424	0.0719465	13581.5625000	3.4594593
20	0.3046875		0.0061704	0.2767128	0.3949051	233671.6250000	3.2820511

HAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0044824		0.0662065	0.0662065	6.7795410	6.7931274	204.7999878
2	0.0146484		0.0424781	0.1086845	4.3497524	4.4282236	68.2646626
3	0.0244141		0.0214037	0.1300882	2.1917425	2.3041620	40.9599915
4	0.0341797		0.0068612	0.1369494	0.7025917	0.7757161	29.2571411
5	0.0439453		0.0038322	0.1407814	0.3924170	0.4631271	22.7555542
6	0.0537109		0.0043297	0.1451112	0.4433586	0.5697961	18.6181793
7	0.0634756		0.0156667	0.1607779	1.6042662	2.2904940	15.7538452
8	0.0732422		0.0158234	0.1766012	1.6203156	2.6274128	13.6533327
9	0.0830078		0.0068463	0.1834475	0.7010627	1.3224363	12.0470581
10	0.0927734		0.0059333	0.1894308	0.6126926	1.3821487	10.7789469
11	0.1025391		0.0013507	0.1907815	0.1383080	0.3841890	9.7523804
12	0.1123047		0.0010124	0.1917939	0.1036683	0.3667014	8.9043474
13	0.1220703		0.0027892	0.1945831	0.2856147	1.3340788	8.1919994
14	0.1318359		0.0179423	0.2055253	1.1204892	7.1960316	7.5851851
15	0.1416016		0.0208211	0.2263464	2.1320839	19.6259003	7.0620689
16	0.1513672		0.0147333	0.2410797	1.5086918	20.0116516	6.6064510
17	0.1611328		0.0064612	0.2475408	0.6616252	14.3665552	6.2060604
18	0.1708984		0.0059098	0.2534506	0.6051620	21.7249603	5.8514280
19	0.1806641		0.0044258	0.2578763	0.4532039	28.5464783	5.5351343
20	0.1904297		0.0023846	0.2602609	0.2441821	27.0277252	5.2512817
21	0.2001953		0.0044044	0.2646652	0.4510078	95.9774323	4.0951210
22	0.2099609		0.0008738	0.2655391	0.0894819	35.7498627	4.7627907
23	0.2197266		0.0015056	0.2670446	0.1541741	122.8199921	4.5511103
24	0.2294922		0.0011201	0.2681646	0.1146953	192.4907532	4.3574467
25	0.2392578		0.0000316	0.2681962	0.0032397	11.9577408	4.1795912
26	0.2490234		0.0001266	0.2683228	0.0129667	108.9384460	4.0156860
27	0.2587891		G.C	0.2683228	0.0	0.0	3.8641500
28	0.2685547		0.0005099	0.2688327	0.0522116	2636.6162100	3.7236357
29	0.2783203		0.0007648	0.2695974	0.0783124	6774.4257812	3.5929823
30	0.2880859		0.0004460	0.2700434	0.0456686	9020.9570312	3.4711857
31	0.2978516		0.0036720	0.2737153	0.3760087	156507.2500000	3.3573761
32	0.3076172		0.0029971	0.2767124	0.3069001	220410.8125000	3.2507935

מס. שול. מיון מ"ד 77 גרין, 1048

RAND NO.	FREQUENCY (FPS)	AVG	14 VALUE (FTS)	15 VALUE (FTS)	ENERGY (FTS)	MEAN VALUE (FTS)	STDEV (FTS)
1	0.0079125	0.113404	0.133454	0.1542714	0.1542714	0.1542714	0.1542714
2	0.0234375	0.031504	0.146365	0.146365	0.146365	0.146365	0.146365
3	0.0309625	0.005704	0.1507704	0.1507704	0.1507704	0.1507704	0.1507704
4	0.0546875	0.0014972	0.1522244	0.1522244	0.1522244	0.1522244	0.1522244
5	0.0703125	0.0284147	0.1006417	0.1006417	0.1006417	0.1006417	0.1006417
6	0.0950375	0.0339697	0.2145745	0.2145745	0.2145745	0.2145745	0.2145745
7	0.1015625	0.0135057	0.2291047	0.2291047	0.2291047	0.2291047	0.2291047
8	0.1171875	0.0017722	0.2208770	0.2208770	0.2208770	0.2208770	0.2208770
9	0.1328125	0.0339734	0.2230504	0.2230504	0.2230504	0.2230504	0.2230504
10	0.1484375	0.0222502	0.2561004	0.2561004	0.2561004	0.2561004	0.2561004
11	0.1640625	0.0047828	0.2608334	0.2608334	0.2608334	0.2608334	0.2608334
12	0.1796875	0.0011070	0.2619002	0.2619002	0.2619002	0.2619002	0.2619002
13	0.1953125	0.0012228	0.2633110	0.2633110	0.2633110	0.2633110	0.2633110
14	0.2109375	0.0005081	0.2637211	0.2637211	0.2637211	0.2637211	0.2637211
15	0.2265625	0.0	0.2637211	0.2637211	0.2637211	0.2637211	0.2637211
16	0.2421875	0.0	0.2637211	0.2637211	0.2637211	0.2637211	0.2637211
17	0.2578125	0.0003054	0.2640245	0.2640245	0.2640245	0.2640245	0.2640245
18	0.2734375	0.0	0.2640245	0.2640245	0.2640245	0.2640245	0.2640245
19	0.2890625	0.0002812	0.2643377	0.2643377	0.2643377	0.2643377	0.2643377
20	0.3046875	0.0003820	0.2646407	0.2646407	0.2646407	0.2646407	0.2646407

PT. SUP 1105 TO 1122 27 JAN., 1968

RAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	DEPTH (FEET)
1	0.0048828		0.0709524	0.0709524	8.1971271	9.2035255	204.7309878
2	0.0146884		0.0496957	0.1206481	5.0888305	5.1806440	68.2666626
3	0.0244141		0.0139299	0.1435779	1.4264212	1.4905952	40.0590015
4	0.0341797		0.0062908	0.1498687	0.6441820	0.7112282	20.2571411
5	0.0439453		0.0008606	0.1507292	0.0881202	0.1039988	22.7555562
6	0.0537109		0.0011026	0.1518319	0.1129112	0.1451114	18.6181702
7	0.0634766		0.0052618	0.1570935	0.5388072	0.7602832	15.7528852
8	0.0732422		0.0235475	0.1806411	2.4112635	2.9000702	12.4522227
9	0.0830078		0.0306483	0.2112892	2.1382820	5.0200268	12.0470581
10	0.0927734		0.0057992	0.2180884	0.6042450	1.5706220	10.7780450
11	0.1025391		0.0082597	0.2263482	0.8457025	2.2494262	9.7522804
12	0.1123047		0.0029964	0.2293446	0.3068247	1.0852220	8.0743474
13	0.1220703		0.0005322	0.2298768	0.0545017	0.2545722	8.1010004
14	0.1318359		0.0036272	0.2335041	0.3714244	2.28854361	7.5851851
15	0.1416016		0.0027804	0.2362844	0.2867099	2.6207657	7.0620689
16	0.1513672		0.0198160	0.2561004	2.0201624	28.1257925	6.6064510
17	0.1611328		0.0041277	0.2602281	0.4226772	9.1780281	6.2050534
18	0.1708984		0.0006551	0.2608832	0.0670862	2.4083576	5.8514280
19	0.1806641		0.0011070	0.2619901	0.1133527	7.1398745	5.5351363
20	0.1904297		0.0002647	0.2622548	0.0271010	2.9997206	5.2512817
21	0.2001953		0.0009581	0.2632129	0.0981108	22.8786163	4.9051210
22	0.2098609		0.0005081	0.2637209	0.0520220	22.7878265	4.7627007
23	0.2197266		0.0	0.2637209	0.0	0.0	4.5511103
24	0.2294922		0.0	0.2637209	0.0	0.0	4.2574667
25	0.2392578		0.0	0.2637209	0.0	0.0	4.1795912
26	0.2490234		0.0003054	0.2640263	0.0312734	252.7305020	4.0155860
27	0.2587891		0.0	0.2640263	0.0	0.0	3.8641530
28	0.2685547		0.0	0.2640263	0.0	0.0	3.7236257
29	0.2783203		0.0	0.2640263	0.0	0.0	3.5029822
30	0.2880859		0.0002812	0.2643076	0.0288082	5600.5000000	3.4711857
31	0.2978516		0.0003725	0.2646801	0.0381479	15878.4275000	3.2573761
32	0.3076172		0.0000095	0.2646896	0.0000719	608.0227051	3.2507025

PT. SUP 1046 TO 1104 30 JAN., 1948

BAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0073125		0.1049982	0.1049982	6.7199830	6.7536087	128.0000000
2	0.0234375		0.0288128	0.1338109	1.8440170	1.9314651	42.6666665
3	0.0395625		0.0045326	0.1383435	0.2900879	0.3304784	25.5999908
4	0.0546875		0.0009389	0.1391824	0.0536927	0.0606508	18.2857056
5	0.0703125		0.0305974	0.1697798	1.9582319	3.0490561	14.2222214
6	0.0859375		0.0072393	0.1770191	0.4633160	0.9188365	11.6363630
7	0.1015625		0.0058600	0.1828790	0.3750386	1.0178843	9.8461533
8	0.1171875		0.0026332	0.1855123	0.1695321	0.6822912	8.5333328
9	0.1328125		0.0019739	0.1874862	0.1263314	0.8374283	7.5294113
10	0.1484375		0.0318520	0.2193382	2.0385303	24.8525542	6.7368412
11	0.1640625		0.0091819	0.2285201	0.3956413	9.9307156	6.0952377
12	0.1796875		0.0054791	0.2339992	0.3506629	20.6855774	5.5652170
13	0.1953125		0.0036138	0.2376130	0.0392863	5.9233322	5.1199999
14	0.2109375		0.0008305	0.2384435	0.0531496	22.6325073	4.7407398
15	0.2265625		0.0001716	0.2386151	0.0109853	15.4906530	4.4137026
16	0.2421875		0.0005221	0.2391371	0.0334156	154.0081635	4.1290321
17	0.2578125		0.0002336	0.2393707	0.0149499	246.3566589	3.8787970
18	0.2734375		0.0000321	0.2394028	0.0020526	146.7417603	3.6571426
19	0.2890625		0.0004049	0.2398076	0.0259124	4898.3632812	3.4594593
20	0.3046875		0.0001671	0.2399746	0.0106923	6326.8125000	3.2820511

RAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSQ)	CUIM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.004423		0.0029366	0.0020345	9.5167112	9.5357723	204.7090978
2	0.0146434		0.00218320	0.1147635	2.2350957	2.2750266	68.2666626
3	0.0244141		0.0136661	0.1334347	1.9114113	2.0094510	40.9509915
4	0.0341797		0.0026176	0.1360523	0.2690452	0.2959428	29.2571411
5	0.0439453		0.0024576	0.1385099	0.2516572	0.2970037	22.7555542
6	0.0537104		0.0036725	0.1391824	0.0688728	0.0885140	18.6131793
7	0.0634756		0.0016279	0.1408103	0.1666077	0.2380031	15.7529452
8	0.0732422		0.0289605	0.1677797	2.9644717	4.8102646	13.6533327
9	0.0830073		0.0042130	0.1734928	0.4314151	0.8137918	12.0470581
10	0.0927734		0.0055788	0.1795715	0.5712665	1.2886972	10.7780469
11	0.1025391		0.0033075	0.1828790	0.3346855	0.9407930	9.7523904
12	0.1123047		0.0020509	0.1840299	0.2100172	0.7428849	8.9043474
13	0.1220703		0.0035824	0.1855122	0.0596341	0.2785452	8.1919994
14	0.1313359		0.0012916	0.1868039	0.1322645	0.8494329	7.5851851
15	0.1416016		0.0090395	0.1958434	0.9256470	8.5206156	7.0620689
16	0.1513672		0.0234948	0.2193382	2.4058695	33.3472443	6.6064510
17	0.1611328		0.0048368	0.2241749	0.4952877	10.7546940	6.2060604
18	0.1709984		0.0024785	0.2266534	0.2537966	9.1111498	5.8514280
19	0.1806641		0.0039820	0.2306354	0.4077610	25.6841125	5.5351343
20	0.1904297		0.004561	0.2310915	0.0467065	5.1607922	5.2512817
21	0.2001953		0.0035214	0.2316129	0.0533932	11.3624239	4.9951210
22	0.2093609		0.007780	0.2323909	0.0796701	31.8258187	4.7627907
23	0.219266		0.002241	0.2326149	0.0229457	19.2792358	4.5511103
24	0.2294922		0.0	0.2326149	0.0	0.0	4.3574467
25	0.2392578		0.000935	0.2327084	0.0095704	35.3240814	4.1795912
26	0.2490234		0.0034287	0.2331370	0.0438946	368.7746582	4.0156860
27	0.2587891		0.002336	0.2333706	0.0239199	456.3330078	3.8641500
28	0.2685547		0.0	0.2333706	0.0	0.0	3.7236357
29	0.2783203		0.0000321	0.2334027	0.0032841	284.0920410	3.5929823
30	0.2880859		0.0004049	0.2338075	0.0414598	8189.5820312	3.4711357
31	0.2978516		0.0000312	0.2338387	0.0031980	1331.0986328	3.3573761
32	0.3076172		0.0001358	0.2339745	0.0139097	9089.7578125	3.2507935

PT. SUR 1242 TO 1300 1 AUG., 1949

HAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CHM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125		0.0101095	0.0101095	0.6470084	0.6502556	128.0000000
2	0.0234375		0.0042086	0.0143181	0.2693522	0.2821256	42.6666565
3	0.0390625		0.0040424	0.0183605	0.2587147	0.2947369	25.5999909
4	0.0546875		0.0045266	0.0268871	0.5456994	0.7078878	18.2857056
5	0.0703125		0.0047403	0.0742904	3.0338135	4.7237854	14.2222214
6	0.0859375		0.0054665	0.0797569	0.3498564	0.6038263	11.6363630
7	0.1015625		0.009108	0.0806767	0.0588886	0.1597740	9.8461533
8	0.1171875		0.0029358	0.0836123	0.1878814	0.7606255	8.5333328
9	0.1328125		0.0038516	0.0874833	0.2465000	1.6340237	7.5294113
10	0.1484375		0.0037624	0.0912262	0.2407942	2.9356213	6.7368412
11	0.1640625		0.0011014	0.0923275	0.0704870	1.7692451	6.0952377
12	0.1796875		0.0012466	0.0935740	0.0797834	4.7064171	5.5652170
13	0.1953125		0.0007244	0.0942984	0.0463611	6.9900169	5.1199999
14	0.2109375		0.0004083	0.0947067	0.0261316	11.1275339	4.7407398
15	0.2265625		0.0002919	0.0949986	0.0186835	26.3460846	4.4137926
16	0.2421875		0.0000668	0.0950653	0.0042722	19.6898346	4.1290321
17	0.2578125		0.0000120	0.0950773	0.0007673	12.6436949	3.8787870
18	0.2734375		0.0001600	0.0952373	0.0102411	732.1577148	3.6571426
19	0.2890625		0.0002187	0.0954559	0.0139970	2645.9404297	3.4594503
20	0.3046875		0.0003752	0.0958312	0.0240137	14209.2617187	3.2820511

HAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSD)	CUM VALUE (FTSD)	ENERGY DENSITY (FTSD-SEC)	SURFACE VALUE (FTSD-SEC)	PERIOD (SEC)
1	0.004823		0.0073523	0.0073523	0.7528785	0.7543465	204.7999378
2	0.0146484		0.0034824	0.0108348	0.3566003	0.3630325	68.2666626
3	0.0244141		0.0030890	0.0139237	0.3163097	0.3325340	40.9599915
4	0.0341797		0.0033534	0.0172771	0.3433866	0.3791278	29.2571411
5	0.0439453		0.0013591	0.0186362	0.1391740	0.1642519	22.7555542
6	0.0537109		0.0052577	0.0238940	0.5293922	0.6919315	18.6181793
7	0.0634765		0.0266944	0.0505883	2.7335033	3.0227653	15.7539452
8	0.0732422		0.0237021	0.0742905	2.4270964	3.9356441	13.6533327
9	0.0830078		0.0034224	0.0777129	0.3504537	0.6410718	12.0470581
10	0.0927734		0.0021378	0.0798506	0.2189059	0.4938235	10.7789469
11	0.1025391		0.0034088	0.0802593	0.0418630	0.1162860	9.7573804
12	0.1123047		0.0015926	0.0818519	0.1630904	0.5768573	8.9043474
13	0.1220703		0.0022551	0.0841169	0.2319422	1.0833797	8.1919994
14	0.1318359		0.0024635	0.0865804	0.2522829	1.6200905	7.5851851
15	0.1416015		0.0034606	0.0900410	0.3543661	3.2619524	7.0620689
16	0.1513672		0.0011852	0.0912262	0.1213658	1.6822252	6.6064510
17	0.1611328		0.0009318	0.0921579	0.0954130	2.0718002	6.2060604
18	0.1708984		0.0007071	0.0928650	0.0724113	2.5995226	5.8514280
19	0.1806641		0.0006499	0.0935149	0.0665529	4.1920462	5.5351343
20	0.1904297		0.0004697	0.0939846	0.0490998	5.3240118	5.2512817
21	0.2001953		0.0003138	0.0942984	0.0321337	6.8382568	4.9951210
22	0.2099609		0.0002932	0.0945915	0.0300237	11.9950790	4.7627907
23	0.2197266		0.0001151	0.0947067	0.0117868	9.3897638	4.5511103
24	0.2294922		0.0002919	0.0949985	0.0298936	50.1498456	4.3574467
25	0.2392578		0.0000668	0.0950652	0.0068355	25.2294617	4.1795912
26	0.2490234		0.0	0.0950652	0.0	0.0	4.0156860
27	0.2587891		0.0000120	0.0950772	0.0012276	23.4202576	3.8641500
28	0.2685547		0.0001102	0.0951874	0.0112804	569.6447754	3.7236357
29	0.2783203		0.0000499	0.0952372	0.0051054	441.6450195	3.5929823
30	0.2880859		0.0001067	0.0954039	0.0170677	3371.3901367	3.4711957
31	0.2978516		0.0002131	0.0956169	0.0219240	9083.8867187	3.3573761
32	0.3076172		0.0002141	0.0958310	0.0219254	15746.4570312	3.2507935

FT. SHIP 1504 TO 1522 6 AUG., 1949

RAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125		0.0344237	0.0344237	2.2031193	2.2141762	128.0000000
2	0.0234375		0.0046000	0.0390237	0.2549772	0.3089657	42.6666565
3	0.0390625		0.0009950	0.0400187	0.0637315	0.0726056	25.5999908
4	0.0546875		0.0048500	0.0448687	0.3103971	0.4026509	18.2857056
5	0.0703125		0.0003120	0.0451807	0.2200215	0.0311743	14.2222214
6	0.0859375		0.0	0.0451807	0.0	0.0	11.6363630
7	0.1015625		0.0000179	0.0451986	0.0011474	0.0031142	9.8461533
8	0.1171875		0.0078951	0.0530937	0.5052843	2.0456104	8.5333328
9	0.1328125		0.0053358	0.0584295	0.3414936	2.2637272	7.5294113
10	0.1484375		0.0002112	0.0586407	0.0135148	0.1647898	6.7368412
11	0.1640625		0.0005470	0.0591877	0.0350100	0.0787838	6.0952377
12	0.1796875		0.0010731	0.0602608	0.0686765	4.0512200	5.5652170
13	0.1953125		0.0001868	0.0604476	0.0119530	1.8021927	5.1190999
14	0.2109375		0.0	0.0604476	0.0	0.0	4.7407398
15	0.2265625		0.0	0.0604476	0.0	0.0	4.4137926
16	0.2421875		0.0000060	0.0604536	0.0003837	1.7683630	4.1290321
17	0.2578125		0.0	0.0604536	0.0	0.0	3.8787870
18	0.2734375		0.0	0.0604536	0.0	0.0	3.6571426
19	0.2890625		0.0	0.0604536	0.0	0.0	3.4594593
20	0.3046875		0.0	0.0604536	0.0	0.0	3.2820511

BAND NO.	FREQUENCY (CPS)	AVG	10 VALUE (FTSO)	CUM VALUE (FTSO)	ENERGY DENSITY (FTSO-SEC)	SURFACE VALUE (FTSO-SEC)	PERIOD (SEC)
1	0.0044828	0.0252552	0.0252552	0.0252552	2.5861340	2.5813134	204.7999878
2	0.0146434	0.0116718	0.0369270	0.0369270	1.1951923	1.2167540	68.2666626
3	0.0244141	0.0017584	0.0386854	0.0386854	0.1809550	0.1820005	40.9599915
4	0.0341797	0.0007288	0.0394141	0.0394141	0.0740263	0.0823932	29.2571411
5	0.0439453	0.0007050	0.0401201	0.0401201	0.0722365	0.0853118	22.7555542
6	0.0537133	0.0043587	0.0444788	0.0444788	0.4463317	0.5736171	18.6181793
7	0.0634755	0.0004300	0.0449084	0.0449084	0.0440348	0.0628707	15.7538452
8	0.0732422	0.0002826	0.0451914	0.0451914	0.0200330	0.0460272	13.6533327
9	0.0830073	0.00	0.0451914	0.0451914	0.00	0.00	12.0470581
10	0.0927734	0.00	0.0451914	0.0451914	0.00	0.00	10.7789469
11	0.1025391	0.00	0.0451914	0.0451914	0.00	0.00	9.7523804
12	0.1123047	0.0010885	0.0462709	0.0462709	0.1114597	0.3042617	8.9043474
13	0.1220703	0.0069901	0.0532700	0.0532700	0.7157832	3.3433552	8.1919904
14	0.1318359	0.0038575	0.0571275	0.0571275	0.9500300	2.5368310	7.5851851
15	0.1416015	0.0015240	0.0586514	0.0586514	0.1560566	1.4365063	7.0620689
16	0.1513672	0.00	0.0586514	0.0586514	0.00	0.00	6.6064510
17	0.1611328	0.0002607	0.0589122	0.0589122	0.0266963	0.5786839	6.2060604
18	0.1708984	0.0003411	0.0592533	0.0592533	0.0349317	1.2540255	5.9514280
19	0.1806641	0.0007788	0.0600321	0.0600321	0.0797492	5.0232525	5.5351343
20	0.1904297	0.0003695	0.0604015	0.0604015	0.0378349	4.1878233	5.2512817
21	0.2001953	0.0000568	0.0604583	0.0604583	0.0058126	1.2369604	4.9951210
22	0.2099609	0.00	0.0604583	0.0604583	0.00	0.00	4.7627907
23	0.2197266	0.00	0.0604583	0.0604583	0.00	0.00	4.5511103
24	0.2294922	0.00	0.0604583	0.0604583	0.00	0.00	4.3574467
25	0.2392578	0.00	0.0604583	0.0604583	0.00	0.00	4.1705912
26	0.2490234	0.0000600	0.0604643	0.0604643	0.0006139	5.1575966	4.0156860
27	0.2587891	0.00	0.0604643	0.0604643	0.00	0.00	3.8641500
28	0.2685547	0.00	0.0604643	0.0604643	0.00	0.00	3.7236357
29	0.2783203	0.00	0.0604643	0.0604643	0.00	0.00	3.5929823
30	0.2880859	0.00	0.0604643	0.0604643	0.00	0.00	3.4711857
31	0.2978516	0.00	0.0604643	0.0604643	0.00	0.00	3.3573761
32	0.3076172	0.00	0.0604643	0.0604643	0.00	0.00	3.2507935

PT. SUR 1505 T.J 1523 7 AUG., 1949

HAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	C.0078125		0.0147128	0.0147129	C.9416177	C.9463435	128.0000000
2	C.0234375		C.0028009	0.0175137	C.1792568	C.1877576	42.6666565
3	C.0390625		C.0077590	0.0252727	C.4965773	C.5657184	25.5999908
4	C.0546875		0.0216306	0.0469032	1.3F43555	1.7958021	18.2857056
5	C.0703125		C.0298258	0.0767291	1.0088535	2.0721718	14.2222214
6	C.0859375		C.0042420	0.0809711	C.2714885	0.5384099	11.6363630
7	C.1015625		C.0240038	0.1049749	1.5362406	4.1694794	9.8461533
8	C.1171875		C.0318210	0.1367959	2.0365458	8.2448235	8.5333328
9	C.1328125		0.0026426	0.1394384	C.1601272	1.1211271	7.5204113
10	C.1484375		0.0023292	0.1417675	C.1490662	1.8173265	6.7368412
11	0.1640625		0.0023561	0.1441235	C.1507985	3.7848463	6.0952377
12	C.1796875		0.0003860	0.1445095	C.0247014	1.4571323	5.5652170
13	0.1953125		C.0001581	0.1446676	0.0101182	1.5255499	5.1199999
14	0.2109375		0.0004692	0.1451367	C.0300282	12.7868280	4.7407398
15	C.2265625		0.0014093	0.1465460	0.0901960	127.1876678	4.4137926
16	0.2421875		0.0004409	0.1469869	C.0282159	130.0436249	4.1290321
17	0.2578125		0.0000798	0.1470665	C.0051066	84.1511230	3.8787870
18	0.2734375		C.0007265	0.1477931	C.0464981	3324.2407227	3.6571426
19	C.2890625		0.0002123	0.1480054	C.0135851	2568.0686035	3.4594593
20	0.3046875		C.0000310	0.1480363	0.0019824	1173.0441895	3.2820511

HAND NO.	FREQUENCY (CPS)	AVG. 10 VALUE (FTSD)	CUM. VALUE (FTSD)	ENERGY DENSITY (FTSD-SEC)	SURFACE VALUE (FTSD-SEC)	PERIOD (SEC)
1	C.0043823	C.0072711	C.0072711	C.7445625	C.7445632	204.7900978
2	C.0146434	C.0085357	C.0158663	C.8802036	C.8802020	69.2666526
3	C.0244141	C.0011436	C.0170104	C.1171036	C.1231101	40.9599915
4	C.0341737	C.0034941	C.0205045	C.3577960	C.3950347	29.2571411
5	C.0439433	C.0048492	C.0253537	C.4965540	C.5860298	22.7555542
6	C.0537137	C.0152244	C.0405781	1.5589790	2.0035696	18.6181703
7	C.0634765	C.0280953	C.0686734	2.8769636	4.1075907	15.7538452
8	C.0732422	C.0090557	C.0767291	C.8243993	1.3376102	13.6533327
9	C.0830073	C.0021038	C.0788323	C.2154254	C.4063635	12.0470581
10	C.0927734	C.0038321	C.0826643	C.3924103	C.8852223	10.7789469
11	C.1025331	C.0190499	C.1017143	1.0507141	5.4186407	9.7523804
12	C.1123047	C.0231915	C.1248963	2.3737803	8.3066713	8.9043474
13	C.1220703	C.0118956	C.1367953	1.2185163	5.6915731	8.1919994
14	C.1318359	C.0024131	C.1392089	C.2470999	1.5869322	7.5851851
15	C.1416016	C.0009328	C.1401413	C.0955141	C.8792105	7.0620689
16	C.1513672	C.0016250	C.1417673	C.1664955	2.3077583	6.6064510
17	C.1611323	C.0008375	C.1426050	C.0857639	1.8622780	6.2060604
18	C.1708994	C.0015185	C.1441235	C.1554985	5.5823040	5.8514280
19	C.1806641	C.0003860	C.1455094	C.0305222	2.4894295	5.5351343
20	C.1904237	C.0001581	C.1466675	C.0161891	1.7919168	5.2512817
21	C.2001953	C.0002151	C.1468826	C.0220236	4.6867743	4.9951210
22	C.2099609	C.0002541	C.1451367	C.0240215	10.3961306	4.7627907
23	C.2197265	C.0014093	C.1465459	C.1443136	114.0647827	4.5511103
24	C.2294922	C.00	C.1465459	C.00	C.00	4.3574467
25	C.2392573	C.0004409	C.1469868	C.0451455	166.6306610	4.1795912
26	C.2490234	C.00	C.1469868	C.00	0.00	4.0156860
27	C.2587831	C.0000798	C.1470665	C.0081706	155.8754272	3.8641500
28	C.2685547	C.00	C.1470665	C.00	C.00	3.7236357
29	C.2783273	C.0008371	C.1479035	C.0857140	7414.7031250	3.5929823
30	C.2880853	C.0001917	C.1480053	C.0104191	2058.096094	3.4711857
31	C.2978510	C.0000310	C.1480362	C.0031715	1320.2543945	3.3573761
32	C.3076172	C.00	C.1480362	C.00	C.00	3.2507935

PT. SUR 1541 TO 1559 17 AUG., 1949

HAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FTSQ)	CUM VALUF (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125	0.0003923	0.0003923	0.0003923	0.0251043	0.0252303	128.0000000
2	0.0234375	0.0011339	0.0011339	0.0015262	0.0725714	0.0760129	42.6666565
3	0.0390625	0.0003762	0.0003762	0.0019024	0.0240793	0.0274320	25.5909908
4	0.0546875	0.0114772	0.0114772	0.0133797	0.7345428	0.9528578	18.2857056
5	0.0703125	0.0132776	0.0132776	0.0266572	0.8497663	1.3231239	14.2222214
6	0.0859375	0.0054608	0.0054608	0.0321180	0.3494885	0.6930967	11.6363630
7	0.1015625	0.0047335	0.0047335	0.0368515	0.3029406	0.8222056	9.8461533
8	0.1171875	0.0023741	0.0023741	0.0392255	0.1519394	0.6151168	8.5333328
9	0.1328125	0.0010296	0.0010296	0.0402551	0.0658932	0.4367993	7.5294113
10	0.1484375	0.0005509	0.0005509	0.0408059	0.0352535	0.4297898	6.7368412
11	0.1640625	0.0003088	0.0003088	0.0408927	0.0055521	0.1393595	6.0952377
12	0.1796875	0.0000501	0.0000501	0.0409429	0.0032083	0.1892554	5.5652170
13	0.1953125	0.0000069	0.0000069	0.0409497	0.0004408	0.0664636	5.1199999
14	0.2109375	0.0000303	0.0000303	0.0409800	0.0019412	0.8265952	4.7407398
15	0.2265625	0.0001245	0.0001245	0.0411045	0.0079668	11.2342129	4.4137926
16	0.2421875	0.0000053	0.0000053	0.0411093	0.0003406	1.5708094	4.1290321
17	0.2578125	0.0	0.0	0.0411093	0.0	0.0	3.8787870
18	0.2734375	0.0000192	0.0000192	0.0411290	0.0012293	87.8867798	3.6571426
19	0.2890625	0.0	0.0	0.0411290	0.0	0.0	3.4594593
20	0.3046875	0.0	0.0	0.0411290	0.0	0.0	3.2820511

PL. SUP 1541 TO 1550 17 AUG., 1949

Hz NO.	FREQUENCY (CPS)	AVG	LS VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0043823	0.0013408	0.0003463	0.0355156	0.0355878	204.7999778	
2	0.0146484	0.0006427	0.0009896	0.0658149	0.0670022	68.2666626	
3	0.0244141	0.0005326	0.0015221	0.0545343	0.0573315	40.9509915	
4	0.0341797	0.0001400	0.0016711	0.0152536	0.0168411	29.2571411	
5	0.0439453	0.0002741	0.010452	0.0200710	0.02331291	22.7555542	
6	0.0537103	0.00134954	0.0124406	1.0747242	1.3812151	18.6181793	
7	0.0634765	0.0034373	0.0158773	0.3519843	0.5025463	15.7538452	
8	0.0732422	0.0107703	0.0266572	1.1038036	1.7898655	13.6533327	
9	0.0830078	0.0040111	0.0306693	0.4107223	0.7747771	12.0470581	
10	0.0927734	0.0025087	0.0331770	0.2568946	0.5705186	10.7789469	
11	0.1025391	0.0034584	0.0366354	0.3541410	0.9837250	9.7523804	
12	0.1123047	0.0018863	0.0385217	0.1931547	0.6832379	8.9043474	
13	0.1220703	0.0008066	0.0393283	0.0895945	0.3857911	8.1019994	
14	0.1318359	0.0007406	0.0400689	0.0758339	0.4870228	7.5851851	
15	0.1416016	0.0004843	0.0405531	0.0495886	0.4564652	7.0620689	
16	0.1513672	0.0032528	0.0408059	0.0258854	0.3587925	6.6064510	
17	0.1611328	0.0006639	0.0408693	0.065383	0.1419739	6.2060604	
18	0.1708984	0.0002200	0.040927	0.022450	0.0841850	5.8514280	
19	0.1806641	0.000187	0.0409114	0.0019141	0.1205626	5.5351343	
20	0.1904297	0.000314	0.0409423	0.0032192	0.3563192	5.2512817	
21	0.2001953	0.000253	0.0409681	0.025872	0.5505835	4.9051210	
22	0.2099609	0.0000120	0.0409800	0.0012230	0.4889758	4.7627907	
23	0.2197256	0.00	0.0409800	0.00	0.00	4.5511103	
24	0.2294922	0.0001245	0.0411045	0.0127469	21.3928833	4.3574467	
25	0.2392578	0.0000053	0.0411094	0.0005453	2.0127468	4.1795912	
26	0.2490234	0.00	0.0411094	0.00	0.00	4.0156860	
27	0.2587891	0.00	0.0411094	0.00	0.00	3.8641500	
28	0.2685547	0.0000192	0.0411290	0.0019669	99.3268738	3.7236357	
29	0.2783203	0.00	0.0411290	0.00	0.00	3.5929823	
30	0.2880859	0.00	0.0411290	0.00	0.00	3.4711857	
31	0.2978515	0.00	0.0411290	0.00	0.00	3.3573761	
32	0.3076172	0.00	0.0411290	0.00	0.00	3.2507935	

PI. SUR 1133 TO 1157 22 AUG., 1949

HAND NO.	FREQUENCY (CPS)	AVG	16 VALUE (FISO)	CUM VALUE (FISO)	ENERGY DENSITY (FISO-SEC)	SURFACE VALUE (FISO-SEC)	PERIOD (SEC)
1	0.0078125	0.0015520	0.0015520	0.0015520	0.0993291	0.0998276	128.0000000
2	0.0234375	0.0018209	0.0018209	0.0033729	0.1163360	0.1220624	42.6666565
3	0.0390625	0.0015785	0.0015785	0.0049514	0.1010225	0.1150883	25.5999908
4	0.0546875	0.00127821	0.00127821	0.0062296	0.08180568	0.0611925	18.2857056
5	0.0703125	0.00045429	0.00045429	0.0066839	0.0907484	0.4527084	14.2222214
6	0.0859375	0.00108831	0.00108831	0.0077722	0.0665153	1.3813114	11.6363630
7	0.1015625	0.00233337	0.00233337	0.0101056	0.0855532	0.1008415	9.8461533
8	0.1171875	0.00179382	0.00179382	0.0118994	0.1034913	0.6477804	8.5333328
9	0.1328125	0.0027841	0.0027841	0.0146835	0.1781825	1.1811533	7.5294113
10	0.1484375	0.0005005	0.0005005	0.0151840	0.0320300	0.3904907	6.7368412
11	0.1640625	0.0006485	0.0006485	0.0158325	0.0415041	1.0417643	6.0952377
12	0.1796875	0.0004111	0.0004111	0.0162436	0.0283074	1.5518732	5.5652170
13	0.1953125	0.0007824	0.0007824	0.0170260	0.0500760	7.5501270	5.1199999
14	0.2109375	0.0004971	0.0004971	0.0175231	0.0318153	13.5477962	4.7407398
15	0.2265625	0.0003315	0.0003315	0.0178546	0.0212171	29.9187775	4.4137926
16	0.2421875	0.0000666	0.0000666	0.0179212	0.0042635	19.6497650	4.1290321
17	0.2578125	0.0000074	0.0000074	0.0179286	0.0004768	7.8570194	3.8787870
18	0.2734375	0.0001468	0.0001468	0.0180754	0.0093952	671.6816406	3.6571426
19	0.2890625	0.0003030	0.0003030	0.0183784	0.0193890	3665.2263184	3.4594593
20	0.3046875	0.0005605	0.0005605	0.0189389	0.0358699	21224.7890625	3.2820511

HAND NO.	FREQUENCY (CPS)	AVG	LC VALUE (FTSQ)	CHM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0044828	0.0010882	0.0010882	0.0010882	0.1114283	0.1114514	204.7999878
2	0.0146484	0.0014225	0.0014225	0.0025107	0.1456424	0.1482002	68.2666626
3	0.0244141	0.0008552	0.0008552	0.0033659	0.0875741	0.0920660	40.9590915
4	0.0341797	0.0004729	0.0004729	0.0038388	0.0484276	0.0533679	29.2571411
5	0.0439453	0.0013445	0.0013445	0.0051933	0.1376785	0.1624870	22.7555542
6	0.0537109	0.0032017	0.0032017	0.0083850	0.3278568	0.4213528	18.6181793
7	0.0634766	0.0103550	0.0103550	0.0187400	1.0603485	1.5139141	15.7538452
8	0.0732422	0.0035365	0.0035365	0.0222764	0.3621343	0.5872168	13.6533327
9	0.0830078	0.0052122	0.0052122	0.0274885	0.5337245	1.0067806	12.0470581
10	0.0927734	0.0160597	0.0160597	0.0435483	1.6445141	3.7007950	10.7780469
11	0.1025391	0.0284710	0.0284710	0.0720193	2.9154291	8.0984135	9.7523804
12	0.1123047	0.0229534	0.0229534	0.0949727	2.3504295	8.3140745	8.9043474
13	0.1220703	0.0094355	0.0094355	0.1044081	0.9661945	4.5130024	8.1919994
14	0.1318359	0.0014512	0.0014512	0.1058593	0.1496015	0.9543532	7.5851851
15	0.1416016	0.0007942	0.0007942	0.1065535	0.0813237	0.7485876	7.0620689
16	0.1513672	0.0001224	0.0001224	0.1067753	0.0125328	0.1737143	6.6064510
17	0.1611323	0.0003710	0.0003710	0.1071468	0.0379926	0.8249720	6.2060604
18	0.1708984	0.0004169	0.0004169	0.1075635	0.0426878	1.5324678	5.8514280
19	0.1806641	0.0002717	0.0002717	0.1078352	0.0278180	1.7522020	5.5351343
20	0.1904297	0.0002600	0.0002600	0.1080952	0.0266252	2.9470625	5.2512917
21	0.2001953	0.0005300	0.0005300	0.108252	0.0542750	11.5502672	4.9051210
22	0.2099609	0.0003492	0.0003492	0.1089744	0.0357580	14.2860584	4.7627907
23	0.2197266	0.0003410	0.0003410	0.1093153	0.0349154	27.8146820	4.5511103
24	0.2294922	0.0001308	0.0001308	0.1094462	0.0133989	22.4870758	4.3574467
25	0.2392578	0.0000121	0.0000121	0.1094583	0.0012430	4.5879078	4.1705912
26	0.2490234	0.0000545	0.0000545	0.1095127	0.0055785	46.8674164	4.0156860
27	0.2587891	0.0000074	0.0000074	0.1095201	0.0007629	14.5537710	3.8641500
28	0.2685547	0.0000508	0.0000508	0.1095703	0.0051986	262.5241699	3.7236357
29	0.2783203	0.0001336	0.0001336	0.1097044	0.0136803	1183.4204102	3.5929823
30	0.2880859	0.0001052	0.0001052	0.1098995	0.0199842	3947.4934082	3.4711857
31	0.2978516	0.0002794	0.0002794	0.1101789	0.0286135	11909.8906250	3.3573761
32	0.3076172	0.0003513	0.0003513	0.1105302	0.0350699	25833.0546875	3.2507935


PT. SUR 1201 TO 1213 30 AUG., 1949

BAND NO.	FREQUENCY (CPS)	AVG	16. VALUE (FTSQ)	CUM. VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0078125	0.0013306	0.0013306	0.0013306	0.0851596	0.0855872	128.0000000
2	0.0234375	0.0005586	0.0005586	0.0018892	0.0357521	0.0374475	42.6666565
3	0.0390625	0.0005551	0.0005551	0.0024443	0.0355258	0.0404722	25.5999908
4	0.0546875	0.0132261	0.0132261	0.0156705	0.8464723	1.0980539	18.2857056
5	0.0703125	0.0203098	0.0203098	0.0459802	1.9398260	3.0203972	14.2222214
6	0.0859375	0.0015072	0.0015072	0.0474875	0.0964618	0.1913006	11.6363630
7	0.1015625	0.0008290	0.0008290	0.0483164	0.0530528	0.1439396	9.8461533
8	0.1171875	0.0012865	0.0012865	0.0496029	0.0823383	0.3333412	8.5333328
9	0.1328125	0.0030106	0.0030106	0.0526135	0.1926752	1.2772245	7.5294113
10	0.1484375	0.0011798	0.0011798	0.0537933	0.0755099	0.0205722	6.7368412
11	0.1640625	0.0006361	0.0006361	0.0544294	0.0407091	1.0218096	6.0952377
12	0.1796875	0.0000907	0.0000907	0.0545201	0.0058069	0.3425470	5.5652170
13	0.1953125	0.0000673	0.0000673	0.0545875	0.0043103	0.6498740	5.1199999
14	0.2109375	0.0000754	0.0000754	0.0546628	0.0048232	2.0538607	4.7407398
15	0.2265625	0.0000190	0.0000190	0.0546819	0.0012187	1.7185364	4.4137926
16	0.2421875	0.0000359	0.0000359	0.0547178	0.0022986	10.5941515	4.1290321
17	0.2578125	0.0000305	0.0000305	0.0547483	0.0010547	32.2104950	3.9787870
18	0.2734375	0.0000007	0.0000007	0.0547490	0.0000432	3.0884399	3.6571426
19	0.2890625	0.0000491	0.0000491	0.0547981	0.0031441	594.3564453	3.4594593
20	0.3046875	0.0000282	0.0000282	0.0548263	0.0018037	1067.2624512	3.2820511

RAND NO.	FREQUENCY (CPS)	AVG	LO VALUE (FTSQ)	CUM VALUE (FTSQ)	ENERGY DENSITY (FTSQ-SEC)	SURFACE VALUE (FTSQ-SEC)	PERIOD (SEC)
1	0.0048828		0.0010190	0.0010190	0.1043432	0.1045521	204.7999878
2	0.0146484		0.0004663	0.0014853	0.0477523	0.0486138	68.2666626
3	0.0244141		0.0004039	0.0018892	0.0413635	0.0434852	40.9599915
4	0.0341797		0.0003520	0.0022413	0.0360453	0.0397968	29.2571411
5	0.0439453		0.0041287	0.0063700	0.4227833	0.4989651	22.7555542
6	0.0537109		0.0083172	0.0146872	0.8516800	1.0945625	18.6181793
7	0.0634766		0.0218287	0.0365158	2.2352533	3.1913872	15.7538452
8	0.0732422		0.0094645	0.0459803	0.9691627	1.5715399	13.6533327
9	0.0830078		0.0012963	0.0472766	0.1327444	0.2503998	12.0470581
10	0.0927734		0.0005331	0.0478097	0.0545894	0.1231461	10.7789469
11	0.1025391		0.0004747	0.0482845	0.0486127	0.1350353	9.7523804
12	0.1123047		0.0006056	0.048901	0.0620161	0.2193670	8.9043474
13	0.1220703		0.0011357	0.0500258	0.1162916	0.5431868	8.1919994
14	0.1318359		0.0019042	0.0519299	0.1949865	1.2522478	7.5851851
15	0.1416016		0.0010317	0.0529616	0.1056433	0.9724503	7.0620689
16	0.1513672		0.0008318	0.0537934	0.0851772	1.1806221	6.6064510
17	0.1611328		0.0002996	0.0540930	0.0306751	0.6660797	6.2060604
18	0.1708984		0.0003460	0.0544390	0.0354328	1.2720156	5.8514280
19	0.1806641		0.000812	0.0545202	0.0083177	0.5239141	5.5351343
20	0.1904297		0.0000640	0.0545842	0.0065528	0.7253125	5.2512817
21	0.2001953		0.0000034	0.0545875	0.0003436	0.0731201	4.9951210
22	0.2099609		0.0	0.0545875	0.0	0.0	4.7627907
23	0.2197266		0.0000754	0.0546629	0.0077172	6.1477404	4.5511103
24	0.2294922		0.0000190	0.0546819	0.0019499	3.2725430	4.3574467
25	0.2392578		0.0	0.0546819	0.0	0.0	4.1795912
26	0.2490234		0.0000665	0.0547484	0.0069053	57.1737671	4.0156860
27	0.2587891		0.0	0.0547484	0.0	0.0	3.8641500
28	0.2685547		0.0000007	0.0547491	0.0000691	3.4904566	3.7236357
29	0.2783203		0.0000255	0.0547746	0.0026151	226.2230835	3.5929823
30	0.2880859		0.0000236	0.0547982	0.0024155	477.1345215	3.4711857
31	0.2978516		0.0	0.0547982	0.0	0.0	3.3573761
32	0.3076172		0.0000282	0.0548264	0.0028859	2072.5925293	3.2507935

APPENDIX II

GRAPHIC DISPLAY OF SPECTRAL COMPONENTS FOR SELECTED INTERVALS



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E-01 UNITS INCH.

ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=20

0818 TO 0836 1 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E-01 UNITS INCH.

ENERGY DENSITY


0818 TO 0836

1 JAN., 1948

F(CPS)-E(FTSQ-SEC)

CONF-LIMITS=95%

N=32



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=2.00E+00 UNITS INCH.

ENERGY DENSITY


1634 TO 1652 10 JAN., 1948

F(CPS)-E(FTSQ-SEC)

CONF-LIMITS=95%

N=32

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.
Y-SCALE=5.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=20

1634 TO 1652 10 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=20

1115 TO 1133 21 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=5.00E-01 UNITS INCH.


ENERGY DENSITY

F (CPS) - E (FTSQ - SEC)

N=32

1115 TO 1133 21 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=32

1103 TO 1121 26 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=20

1103 TO 1121 26 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=2.00E+00 UNITS INCH.

ENERGY DENSITY

1043 TO 1101 31 JAN., 1948

F(CPS)-E(FTSQ-SEC)

CONF-LIMITS=95%

N=20

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.
Y-SCALE=1.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=32

1043 TO 1101 31 JAN., 1948

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E+00 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=32

1528 TO 1546 14 AUG., 1949

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.
Y-SCALE=2.00E+00 UNITS INCH.

ENERGY DENSITY F(CPS)-E(FTSQ-SEC) N=20
1528 TO 1546 14 AUG., 1949 CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=5.00E-01 UNITS INCH.

ENERGY DENSITY


1541 TO 1559 17 AUG., 1949

F(CPS)-E(FTSQ-SEC)

CONF-LIMITS=95%

N=32

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=5.00E-01 UNITS INCH.

ENERGY DENSITY

1541 TO 1559 17 AUG., 1949

F(CPS) - E(FTSQ-SEC)

N=20

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E+00 UNITS INCH.

ENERGY DENSITY

0942 TO 1000 19 AUG., 1949

F(CPS) - E(FTSQ-SEC)

N=20

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=5.00E-01 UNITS INCH.


ENERGY DENSITY

F(CPS)-E(FTSQ-SEC)

N=32

0942 TO 1000 19 AUG., 1949

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E-01 UNITS INCH.


ENERGY DENSITY

F(CPS) - E(FTSQ-SEC)

N=20

1131 TO 1149 23 AUG., 1949

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E-01 UNITS INCH.


ENERGY DENSITY

1131 TO 1149 23 AUG., 1949

F(CPS)-E(FTSQ-SEC)

N=32

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=2.00E-01 UNITS INCH.


ENERGY DENSITY

1130 TO 1148 24 AUG., 1949

F(CPS)-E(FTSQ-SEC)

N=20

CONF-LIMITS=95%



X-SCALE=4.00E-02 UNITS INCH.

Y-SCALE=1.00E-01 UNITS INCH.

ENERGY DENSITY

1130 TO 1148 24 AUG., 1949

F(CPS)-E(FTSQ-SEC)

CONF-LIMITS=95%

N=32

APPENDIX III
SUMMARIES OF H3B AND H3S

SUMMARY OF H3B AND H3S FOR NOVEMBER, 1947

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
2	1138 - 1156	1.299	12.528
5	1124 - 1142	0.436	9.969
6	1147 - 1205	0.621	7.408
7	1143 - 1201	0.413	5.008
8	1143 - 1201	0.417	2.766
9	1142 - 1200	1.075	6.531
10	1150 - 1208	0.995	6.224
11	1145 - 1203	0.575	2.687
12	1142 - 1200	0.754	8.125
13	1201 - 1219	0.597	4.922
14	1800 - 1818	0.853	7.186
15	1202 - 1220	1.022	5.042
16	1153 - 1211	0.971	8.036
17	1805 - 1823	0.820	5.255
18	0854 - 0912	1.121	10.150
19	2103 - 2112	0.768	13.533
20	1459 - 1517	1.148	6.693
21	1456 - 1514	1.382	5.597
22	1519 - 1537	1.036	4.355
23	1617 - 1635	0.727	1.738
24	1605 - 1623	0.588	2.917

SUMMARY OF H3B AND H3S FOR DECEMBER, 1947

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
12	1323 - 1341	1.718	5.811
13	1340 - 1349*	1.105	4.210
14	1305 - 1323	1.326	3.591
15	1820 - 1838	1.827	6.085
16	1804 - 1822	1.337	5.053
22	1102 - 1119	2.306	9.341
23	1107 - 1116*	2.021	14.192
24	2009 - 2027	2.491	10.419
25	0804 - 0822	1.119	7.215
26	1421 - 1439	0.794	2.902
27	1418 - 1436	1.100	1.936
28	1421 - 1439	0.875	3.482
29	2022 - 2040	1.920	10.276
30	1420 - 1438	1.119	3.283
31	1410 - 1428	0.473	1.679

* - Record doubled

SUMMARY OF H3B AND H3S FOR JANUARY, 1948

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
1	0818 - 0836	0.278	1.206
2	0814 - 0832	1.159	6.309
3	1428 - 1446	3.213	11.573
4	1422 - 1440	2.795	13.434
5	0820 - 0838	1.840	5.140
6	1432 - 1450	0.951	4.811
7	1610 - 1628	1.572	7.384
8	1005 - 1023	1.804	6.387
9	0943 - 1001	2.458	9.805
10	1634 - 1652	1.492	5.567
11	1610 - 1628	1.274	5.089
12	1042 - 1100	1.459	3.957
13	1056 - 1114	0.785	1.607
14	1043 - 1101	0.589	0.861
15	1642 - 1700	0.653	2.027
16	1641 - 1659	0.585	2.296
17	2243 - 2251	1.147	3.846
18	0446 - 0504	1.079	4.346
19	0442 - 0500	1.208	2.503
20	1042 - 1100	0.830	2.991
21	1115 - 1133	0.721	2.538
22	1111 - 1129	1.271	2.398
23	1110 - 1128	1.135	4.344
24	0510 - 0528	1.489	7.089
25	1105 - 1123	1.208	6.737
26	1103 - 1121	0.822	3.265
27	1105 - 1123	1.456	2.897
28	1102 - 1120	1.155	4.869
29	1043 - 1101	1.809	3.982
30	1046 - 1104	1.369	5.709
31	1043 - 1101	0.958	3.364

SUMMARY OF H3B AND H3S FOR JUNE, 1949

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
5	1345 - 1403	0.741	1.873
6	1404 - 1422	1.025	4.187
7	0808 - 0826	0.467	2.241
8	1411 - 1429	0.753	1.448
9	1547 - 1605	1.004	2.641
10	1400 - 1418	2.062	6.647
11	0800 - 0818	0.907	2.488
12	0600 - 0618	1.205	3.100
13	0600 - 0618	1.005	4.109
14	1442 - 1500	1.045	5.862
15	1448 - 1506	1.506	5.726
16	1453 - 1511	1.312	9.032
17	1734 - 1752	1.262	9.979
18	1123 - 1141	0.865	3.973
19	1148 - 1206	0.839	3.753
20	1155 - 1213	0.878	3.282
21	2208 - 2226	0.702	1.511
22	1005 - 1023	0.486	1.374
23	1010 - 1028	1.127	5.163
24	1010 - 1028	0.646	3.364
25	1731 - 1749	1.465	8.357
26	1134 - 1152	1.023	8.672
27	1145 - 1203	0.745	4.146
28	1223 - 1241	0.822	3.319
29	1106 - 1124	0.719	1.857
30	1136 - 1154	0.861	4.735

SUMMARY OF H3B AND H3S FOR JULY, 1949

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
1	1948 - 2006	0.660	1.509
2	1400 - 1418	0.470	1.207
3	1355 - 1413	0.866	2.143
4	1407 - 1425	0.798	2.695
5	1355 - 1413	0.644	2.017
6	1824 - 1842	0.915	2.323
7	1223 - 1241	0.319	3.498
9	0246 - 0304	0.860	3.923
18	1352 - 1410	0.494	3.419
19	1715 - 1733	0.130	6.459
20	1122 - 1140	1.062	2.172
21	1125 - 1143	0.733	3.343
22	1540 - 1558	1.098	5.164
23	1545 - 1603	0.753	2.586
24	1547 - 1605	0.635	2.392
25	0949 - 1007	0.877	6.080
26	1322 - 1340	0.730	4.686
27	1457 - 1515	0.983	4.561
28	1505 - 1523	1.049	4.595
29	1506 - 1524	0.957	2.536
30	1827 - 1845	0.932	2.655
31	1230 - 1248	0.681	2.153

SUMMARY OF H3B AND H3S FOR AUGUST, 1949

Date	Time (PCT)	H3B (ft.)	H3S (ft.)
1	1242 - 1300	0.876	3.214
2	1457 - 1515	0.652	1.713
3	1436 - 1454	0.733	1.474
4	1530 - 1548	0.698	3.553
5	1528 - 1546	1.147	3.558
6	1504 - 1522	0.696	1.299
7	1505 - 1523	1.089	6.107
8	1503 - 1521	1.000	5.539
9	1522 - 1540	0.960	2.860
10	1521 - 1539	0.484	4.662
11	1520 - 1538	0.419	2.213
12	1529 - 1547	0.565	1.867
13	1530 - 1548	0.769	3.641
14	1528 - 1546	0.887	3.190
15	1529 - 1547	0.524	0.876
16	1541 - 1559	0.324	1.207
17	1541 - 1559	0.574	1.555
18	1541 - 1559	0.515	2.128
19	0942 - 1000	0.627	1.162
20	1211 - 1229	0.567	1.480
21	1210 - 1228	0.240	1.972
22	1208 - 1226	0.281	2.128
23	1131 - 1149	0.288	1.586
24	1130 - 1148	0.313	1.088
25	1131 - 1149	0.500	2.943
26	1129 - 1147	0.721	2.445
27	1137 - 1155	0.824	2.321
28	1139 - 1157	0.941	3.385
29	1140 - 1158	0.590	2.158
30	1201 - 1219	0.663	1.711
31	1141 - 1159	0.506	2.891

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	20
2. Library Naval Postgraduate School Monterey, California 93940	2
3. Prof. Jacob B. Wickham Department of Meteorology and Oceanography Naval Postgraduate School Monterey, California 93940	5
4. LT Boyden T. Steele, USN Naval Academy Annapolis, Maryland 21402	5
5. Department of Meteorology and Oceanography Naval Postgraduate School Monterey, California 93940	3
6. Naval Weather Service Command Washington Navy Yard Washington, D. C. 20390	1
7. Officer in Charge Fleet Numerical Weather Facility Naval Postgraduate School Monterey, California 93940	3
8. AFCRL - Research Library L. G. Hanscom Field Attn: Nancy Davis/Stop 29 Bedford, Massachusetts 01730	1
9. Superintendent Naval Academy Annapolis, Maryland 21402	1
10. Oceanographer of the Navy The Madison Building 732 N. Washington Street Alexandria, Virginia 22314	1
11. Naval Oceanographic Office Attn: Library Washington, D. C. 20390	1

	No. Copies
12. National Oceanographic Data Center Washington, D. C. 20390	1
13. Director, Coast and Geodetic Survey Department of Commerce Attn: Office of Oceanography Washington, D. C. 20235	1
14. Mission Bay Research Foundation 7730 Herschel Avenue La Jolla, California 92038	1
15. Director, Maury Center for Ocean Sciences Naval Research Laboratory Washington, D. C. 20390	1
16. Office of Naval Research Attn: Undersea Warfare (Code 466) Department of Navy Washington, D. C. 20360	1
17. Office of Naval Research Attn: Director, Surface and Amphibious Programs (Code 463) Navy Department Washington, D. C. 20360	1
18. Commanding Officer and Director Naval Civil Engineering Laboratory Port Hueneme, California 93041	1

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified

1. ORIGINATING ACTIVITY (Corporate author) Naval Postgraduate School Monterey, California 93940		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE Spectral Analyses of Waves and Associated Bottom Pressures Off Point Sur, California			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Thesis			
5. AUTHOR(S) (First name, middle initial, last name) Boyden Tracy Steele			
6. REPORT DATE June 1968		7a. TOTAL NO. OF PAGES 86	7b. NO. OF REFS 11
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of the Naval Postgraduate School, Monterey, California.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Naval Postgraduate School Monterey, California 93940	

13. ABSTRACT

A time series of pressure variations was obtained by digitizing analogue records of bottom pressure, recorded at Pt. Sur, California, during the periods November, December, and January, 1947-1948, and June, July, and August, 1949. The power spectrum of the pressure variations was found via the amplitude spectra obtained by means of the fast Fourier transform. This spectrum was then smoothed by averaging over several frequency bands and confidence limits were assigned.

Surface wave power spectra were inferred from the pressure power spectra and significant wave heights were estimated from these, after applying a procedure designed to remove noise.

Values of significant height on the bottom and at the surface are displayed in tabular form and plotted versus time for the selected periods January, 1948, and August, 1949. The spectral patterns of wave activity show the transient nature of the energy due to storm swell and local winds.

Security Classification

14

KEY WORDS

LINK A

LINK B

LINE C

ROLE

WT

ROLE

WT

ROLE

AT

Digital Analysis

1

thes67877

DUDLEY KNOX LIBRARY



3 2768 00414840 3

DUDLEY KNOX LIBRARY